

Resources


Soil Survey of Cherry County, Nebraska, 1956. USDA NRCS and Conservation and Survey Division, UNL.

Configuration of the water table, Fall 1971, Alliance Quadrangle, Nebraska. Conservation and Survey Division, UNL. GM-54.

Configuration of the water table, Spring 1979, Valentine Quadrangle, Nebraska. Conservation and Survey Division, UNL. GM-54.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36
Sectionalized					

Township



Pesticides and Groundwater

An Applicator's Map and Guide to Prevent Groundwater Contamination

Cherry County

Sand, loamy sand and sandy loam soils with little organic matter and a water table less than 30 feet below the surface.

These areas have a high vulnerability for groundwater contamination.

Sand, loamy sand and sandy loam soils with little organic matter and a water table greater than 30 feet below the surface.

These areas have a moderate vulnerability to groundwater contamination. Even though the water table is greater than 30 feet below the surface, the soils are porous and caution should be used.

Sand, loamy sand and sandy loam soils with little organic matter and a water table generally greater than 30 feet below the surface.

Much of this area has a moderate vulnerability to groundwater contamination because the soils are porous. Some low-lying parts of the area may have high vulnerability to groundwater contamination because the water table is less than 30 feet below the surface. Caution should be used throughout the area and detailed maps should be consulted concerning low-lying areas.

Generally silty and loamy soils with a water table less than 30 feet below the surface.

Much of this area has a moderate vulnerability to groundwater contamination because the water table is less than 30 feet below the surface. Some parts have sand, loamy sand or sandy loam soils with little organic matter and high vulnerability to groundwater contamination. Extreme caution should be used in sandy areas. Caution should be used throughout the entire area.

Sand, loamy sand and sandy loam soils with little organic matter and a water table generally greater than 30 feet below the surface.

Much of this area has a moderate vulnerability to groundwater contamination because the soils are porous. Some parts have silty and loamy soils and slight vulnerability to groundwater contamination. Caution should be used in sandy areas.

Silty and loamy soils with a water table greater than 30 feet below the surface.

These areas have a slight vulnerability to groundwater contamination.

Generally silty and loamy soils with a water table greater than 30 feet below the surface.

Much of this area has a slight vulnerability to groundwater contamination. Some parts have sand, loamy sand or sandy loam soils with little organic matter and moderate vulnerability to groundwater contamination. Caution should be used in sandy areas.

Refer to the accompanying discussion and index of pesticides for guidance on pesticide use.

The vulnerability of groundwater contamination was determined using soil properties and depth to groundwater as indicated in general on pesticide labels. Areas on this map may have dissimilar soil and groundwater characteristics from those generally identified for that area. More detailed information can be obtained from:

Conservation and Survey Division

113 Nebraska Håll Lincoln, NE 68588-0517 (402) 472-7537 (soil and groundwater data) Cherry County Extension Office 110 W. 4th Street, Box 48 Valentine, NE 69201-0048 (402) 376-1850 (proper pesticide use)

Nebraska Department of Agriculture Bureau of Plant Industry - Pesticide Program Box 94756 Lincoln, NE 68509-4756 (402) 471-2394 (pesticide labels and regulations)